INDEX TO AUTHORS

A

ANDERSON, S. See MERSMANN, GOODMAN, HOUK, and ANDERSON, 335

APRIL, ERNEST W., BRANDT, PHILIP W., and ELLIOTT, GERALD F. The myofilament lattice: studies on isolated fibers. II. The effects of osmotic strength, ionic concentration, and pH upon the unit-cell volume, 53

ARNOLD, EUGENE A., YAWN, DAVID H., BROWN, DAVID G., WYLLIE, ROBERT C., and COFFEY, DONALD S. Structural alteration in isolated rat liver nuclei after removal of template restriction by polyanions, 737

B

BACHMANN, LUIS. See PLATTNER, FISCHER, SCHMITT, and BACHMANN, 116

BAKER, P. F., and WARNER, ANNE E. Intracellular calcium and cell cleavage in early embryos of *Xenopus laevis*, 579

BAKER, RICHARD F. Fusion of human red blood cell membranes, 244

BENNETT, M. V. L. See WAXMAN, PAPPAS, and BENNETT, 210

BERGQUIST, A. See CASSADY, LEITER, BERGQUIST, and WAGNER, 66

BERNIER, ROCH, IGLESIAS, ROBERTO, and SIMARD, RENÉ. Detection of DNA by tritiated actinomycin D on ultrathin frozen sections, 798

BISSELL, D. MONTGOMERY, and TILLES, JEREMIAH G. Radioimmunoassay of serum albumin produced by human embryonic liver in monolayer culture, 819

BONNEVILLE, MARY A. See CHLAPOWSKI, BONNEVILLE, and STAEHELIN, 92

—. See STAEHELIN, CHLAPOWSKI, and BONNEVILLE, 73

BOWERS, BLAIR, and OLSZEWSKI, THOMAS E. Pinocytosis in *Acanthamoeba castellanii*. Kinetics and morphology, 681

BRADY, TOM, and CLUTTER, MARY E. Cytolocalization of ribosomal cistrons in plant polytene chromosomes, 827

BRANDHORST, BRUCE P., and HUMPHREYS, TOM. Stabilities of nuclear and messenger RNA molecules in sea urchin embryos, 474

BRANDT, PHILIP W. See APRIL, BRANDT, and ELLIOTT, 53

BRINGAS, PABLO, JR. See SLAVKIN, CROISSANT, and BRINGAS, 841

BROOKS, D. E. See VASSAR, HARDS, BROOKS, HAGENBERGER, and SEAMAN, 809

BROWN, DAVID G. See ARNOLD, YAWN, BROWN, WYLLIE, and COFFEY, 737

BURGESS, A. H. See SCHARFF, HANDLER, NANNINGA, and BURGESS, 1

BURNSTOCK, GEOFFREY. See UEHARA and BURNSTOCK, 849

C

CASSADY, W. E., LEITER, E. H., BERGQUIST, A., and WAGNER, R. P. Separation of mitochondrial membranes of *Neurospora crassa*. II. Submitochondrial localization of the isoleucine-valine biosynthetic pathway, 66

CASTLE, J. DAVID, JAMIESON, JAMES D., and PALADE, GEORGE E. Radioautographic analysis of the secretory process in the parotid acinar cell of the rabbit, 290

CHAMBERS, T. C. See O'LOUGHLIN and CHAMBERS, 575

CHLAPOWSKI, FRANCIS J., BONNEVILLE, MARY A., and STAEHELIN, L. ANDREW. Lumenal plasma membrane of the urinary bladder. II. Isolation and structure of membrane components, 92

—. See STAEHELIN, CHLAPOWSKI, and BONNEVILLE, 73

CLUTTER, MARY E. See BRADY and CLUTTER, 827

COFFEY, DONALD S. See ARNOLD, YAWN, BROWN, WYLLIE, and COFFEY, 737

COLVIN, J. ROSS. See LEPPARD and COLVIN, 695

CROISSANT, RICHARD. See SLAVKIN, CROISSANT, and BRINGAS, 841

CUMMINGS, DONALD J. Isolation and partial characterization of macro- and micronuclei from *Paramecium aurelia*, 105

D

DANEHOLT, B. See LAMBERT, WIESLANDER, DANEHOLT, EGYHÁZI, and RINGBORG, 407

DANIELS, MATHEW P. Colchicine inhibition of nerve fiber formation in vitro, 164

D'MONTE, B. See EGYHÁZI, D'MONTE, and EDSTRÖM, 523

DUMONT, JAMES N., and WALLACE, R. A. The effects of vinblastine on isolated *Xenopus* oocytes, 605

E

EDSTRÖM, J.-E. See EGYHÁZI, D'MONTE, and EDSTRÖM, 523

EGYHÁZI, E., D'MONTE, B., and EDSTRÖM, J.-E. Effects of α-amanitin on in vitro labeling of RNA from defined nuclear components in salivary gland cells from *Chironomus tentans*, 523

—. See LAMBERT, WIESLANDER, DANEHOLT, EGYHÁZI, and RINGBORG, 407

EINSTEIN, ALBERT B., JR. See ROSENBERG and EINSTEIN, 466

ELICEIRI, GEORGE L. The ribosomal RNA of hamster-mouse hybrid cells, 177
ELLIOTT, GERALD F. See APRIL, BRANDT, and ELLIOTT, 53

F

FEENEY, LYNETTE, and WISSIG, STEVEN L. A biochemical and radioautographic analysis of protein secretion by thyroid lobes incubated in vitro, 510
FISCHER, WALTER M. See PLATTNER, FISCHER, SCHMITT, and BACHMANN, 116
FRANKE, WERNER, W., SCHEER, ULRICH, and FRITSCH, HANSJÖRG. Intranuclear and cytoplasmic annulate lamellae in plant cells, 823
FRIEND, DANIEL S., and GILULA, NORTON B. A distinctive cell contact in the rat adrenal cortex, 148
— and —. Variations in tight and gap junctions in mammalian tissues, 758
FRITSCH, HANSJÖRG. See FRANKE, SCHEER, and FRITSCH, 823

G

GILBERT, BRIAN E., and JOHNSON, TERRY C. Protein turnover during maturation of mouse brain tissue, 143
GILULA, NORTON B., and SATIR, PETER. The ciliary necklace. A ciliary membrane specialization, 494
—. See FRIEND and GILULA, 148, 758
GODMAN, GABRIEL C. See KING, GODMAN, and KING, 127
GOLDFEDER, ANNA. See POTMESIL and GOLDFEDER, 832
GOLDSCHNEIDER, IRVING, and MOSCONA, A. A. Tissue-specific cell-surface antigens in embryonic cells, 435
GOODMAN, J. See MERSMANN, GOODMAN, HOUK, and ANDERSON, 335
GRAY, ROBERT H. See PETERSON, GRAY, and RIS, 837
GREY, ROBERT D. See LECOUNT and GREY, 601
GROSS, NICHOLAS J. See WOLSTENHOLME, KIRSCHNER, and GROSS, 393

H

HACKENBROCK, CHARLES R. Energy-linked ultrastructural transformations in isolated liver mitochondria and mitoplasts. Preservation of configurations by freeze-cleaving compared to chemical fixation, 450
HAGENBERGER, B. See VASSAR, HARDS, BROOKS, HAGENBERGER, and SEAMAN, 809
HAGOPIAN, MARTIN, and NUNEZ, ELADIO A. Sarcolemmal scalloping at short sarcomere lengths with incidental observations on the T tubules, 252
HAMBERGER, ANDERS. See HENN, HANSSON, and HAMBERGER, 654
HANSSON, HANS-ARNE. See HENN, HANSSON, and HAMBERGER, 654
HARDS, J. M. See VASSAR, HARDS, BROOKS, HAGENBERGER, and SEAMAN, 809
HENDLER, R. W. See SCHARFF, HENDLER, NANNINGA, and BURGESS, 1
HENN, FRITZ A., HANSSON, HANS-ARNE, and HAMBERGER, ANDERS. Preparation of plasma membrane from isolated neurons, 654
HERZOG, V., and MILLER, F. The localization of endogenous peroxidase in the lacrimal gland of the rat during postnatal development. Electron microscope cytochemical and biochemical studies, 662
HINKLEY, ROBERT E., and SAMSON, FREDERICK E. Anesthetic-induced transformation of axonal microtubules, 258
HOPKINS, C. R. The biosynthesis, intracellular transport, and packaging of melanocyte-stimulating peptides in the amphibian pars intermedia, 642
HOPPER, A. F., ROSE, P. M., and WANNEMACHER, R. W., JR. Cell population changes in the intestinal mucosa of protein-depleted or starved rats. II. Changes in cellular migration rates, 225
HOUK, J. M. See MERSMANN, GOODMAN, HOUK, and ANDERSON, 335
HUMPHREYS, TOM. See BRANDHORST and HUMPHREYS, 474

I

IGLESIAS, ROBERTO. See BERNIER, IGLESIAS, and SIMARD, 798

J

JAMIESON, JAMES D. See CASTLE, JAMIESON, and PALADE, 290
JEFFERY, WILLIAM R. Evidence for a temporal incompatibility between DNA replication and division during the cell cycle of *Tetrahymena*, 624
JOHNSON, TERRY C. See GILBERT and JOHNSON, 143

K

KIERSZENBAUM, A. L., TRES, LAURA L., and TANDLER, C. J. The distribution of inorganic cations during spermiogenesis in the mouse, 239
—. See TRES, KIERSZENBAUM, and TANDLER, 483
KING, DONALD W. See KING, GODMAN, and KING, 127
KING, MARY E., GODMAN, GABRIEL C., and KING, DONALD W. Respiratory enzymes and mitochondrial morphology of HeLa and L cells treated with chloramphenicol and ethidium bromide, 127
KIRSCHNER, ROBERT H. See WOLSTENHOLME, KIRSCHNER, and GROSS, 393
KONIGSBERG, IRWIN R. See LIPTON and KONIGSBERG, 348

L

LAMBERT, B., WIESLANDER, L., DANEHOLT, B., EGYHÁZI, E., and RINGBORG, U. *In situ* demon-

stration of DNA hybridizing with chromosomal and nuclear sap RNA in *Chironomus tentans*, 407
LaVail, Matthew M., Sidman, Richard L., and O'Neil, Deborah A. Photoreceptor-pigment epithelial cell relationships in rats with inherited retinal degeneration. Radioautographic and electron microscope evidence for a dual source of extralamellar material, 185
LeCount, Thomas S., and Grey, Robert D. Transient shortening of microvilli induced by cycloheximide in the duodenal epithelium of the chicken, 601
Leiter, E. H. See Cassady, Leiter, Bergquist, and Wagner, 66
Leppard, Gary G., and Colvin, J. Ross. Electron-opaque fibrils and granules in and between the cell walls of higher plants, 695
Lipton, Bruce H., and Konigsberg, Irwin R. A fine-structural analysis of the fusion of myogenic cells, 348
Llinás, Rodolfo. See Sotelo and Llinás, 271

M

Malawista, Stephen E. See Wright and Malawista, 788
Manning, Jerry E., Wolstenholme, David R., and Richards, Oliver C. Circular DNA molecules associated with chloroplasts of spinach, *Spinacia oleracea*, 594
Martin, B. J. See Spicer, Martin, and Simson, 582
Meban, C. Localization of phosphatidic acid phosphatase activity in granular pneumonocytes, 249
Mersmann, H. J., Goodman, J., Houk, J. M., and Anderson, S. Studies on the biochemistry of mitochondria and cell morphology in the neonatal swine hepatocyte, 335
Miller, F. See Herzog and Miller, 662
Mittler, Brant S. See Peracchia and Mittler, 234
Moscona, A. A. See Goldschneider and Moscona, 435

N

Nakao, Taisuke. Fusion of unit membranes of the endoplasmic reticulum in the gill epithelial cell of shrimp, *Caridina*, 853
Nanninga, N. See Scharff, Hendler, Nanninga, and Burgess, 1
Novikoff, Alex B. See Novikoff and Novikoff, 532
Novikoff, Phyllis M., and Novikoff, Alex B. Peroxisomes in absorptive cells of mammalian small intestine, 532
Nunez, Eladio A. See Hagopian and Nunez, 252

O

O'Brien, Thomas W. Occurrence of active 80S ribosomes in subcellular particles in the mitochondrial fraction of fetal bovine liver, 590
Okun, Lawrence M. See Sanes and Okun, 587
Olins, Ada L. See Olins and Olins, 715
Olins, Donald E., and Olins, Ada L. Physical studies of isolated eucaryotic nuclei, 715
O'Loughlin, G. T., and Chambers, T. C. Extracellular microtubules in the aphid gut, 575
Olszewski, Thomas E. See Bowers and Olszewski, 681
O'Neil, Deborah A. See LaVail, Sidman, and O'Neil, 185

P

Palade, George E. See Castle, Jamieson, and Palade, 290
— . See Simionescu, Simionescu, and Palade, 365
Pappas, G. D. See Waxman, Pappas, and Bennett, 210
Pasternak, C. A. Relief from contact inhibition. Early increase in phospholipid turnover, 231
Peracchia, Camillo, and Mittler, Brant S. Fixation by means of glutaraldehyde–hydrogen peroxide reaction products, 234
Peterson, Joan B., Gray, Robert H., and Ris, Hans. Meiotic spindle plaques in *Saccharomyces cerevisiae*, 837
Phillips, David M. Comparative analysis of mammalian sperm motility, 561
Phillips, Stephanie Gordon. Repopulation of the postmitotic nucleolus by preformed RNA, 611
Pinto da Silva, Pedro. Translational mobility of the membrane intercalated particles of human erythrocyte ghosts. pH-dependent, reversible aggregation, 777
Plattner, Helmut, Fischer, Walter M., Schmitt, Werner W., and Bachmann, Luis. Freeze etching of cells without cryoprotectants, 116
Pogo, Beatriz G. T. Early events in lymphocyte transformation by phytohemagglutinin. I. DNA-dependent RNA polymerase activities in isolated lymphocyte nuclei, 635
Porter, Keith R. See Price and Porter, 24
—. See Rohrlich and Porter, 38
Potmesil, Milan, and Goldfeder, Anna. Nucleolar morphology and maturation of thymic lymphocytes, 832
Price, Donald L., and Porter, Keith R. The response of ventral horn neurons to axonal transection, 24

R

Richards, Oliver C. See Manning, Wolstenholme, and Richards, 594
Ringborg, U. See Lambert, Wieslander, Daneholt, Egyházi, and Ringborg, 407
Ris, Hans. See Peterson, Gray, and Ris, 837
Rohrlich, Susannah T., and Porter, Keith R. Fine structural observations relating to the production of color by the iridophores of a lizard, *Anolis carolinensis*, 38
Rose, P. M. See Hopper, Rose, and Wannemacher, 225
Rosenberg, Steven A., and Einstein, Albert B., Jr. Sialic acids on the plasma membrane of cultured human lymphoid cells. Chemical aspects and biosynthesis, 466

S

SAMSON, FREDERICK E. See HINKLEY and SAMSON, 258

SANES, JOSHUA R., and OKUN, LAWRENCE M. Induction of DNA synthesis in cultured neurons by ultraviolet light or methyl methane sulfonate, 587

SATIR, PETER. See GILULA and SATIR, 494

SCHARFF, R., HENDLER, R. W., NANNINGA, N., and BURGESS, A. H. Respiration and protein synthesis in *Escherichia coli* membrane-envelope fragments. IV. Chemical and cytological characterization and biosynthetic capabilities of fragments obtained by mild procedures, 1

SCHEER, ULRICH. See FRANKE, SCHEER, and FRITSCH, 823

SCHMITT, WERNER W. See PLATTNER, FISCHER, SCHMITT, and BACHMANN, 116

SCHROEDER, THOMAS E. The contractile ring. II. Determining its brief existence, volumetric changes, and vital role in cleaving *Arbacia* eggs, 419

SEAMAN, G. V. F. See VASSAR, HARDS, BROOKS, HAGENBERGER, and SEAMAN, 809

SIDMAN, RICHARD L. See LAVAIL, SIDMAN, and O'NEIL, 185

SIMARD, RENÉ. See BERNIER, IGLESIAS, and SIMARD, 798

SIMIONESCU, MAIA. See SIMIONESCU, SIMIONESCU, and PALADE, 365

SIMIONESCU, NICOLAE, SIMIONESCU, MAIA, and PALADE, GEORGE E. Permeability of intestinal capillaries. Pathway followed by dextrans and glycogens, 365

SIMSON, J. V. See SPICER, MARTIN, and SIMSON, 582

SLAVKIN, HAROLD C., CROISSANT, RICHARD, and BRINGAS, PABLO, JR. Epithelial-mesenchymal interactions during odontogenesis. III. A simple method for the isolation of matrix vesicles, 841

SOTELO, CONSTANTINO, and LLINÁS, RODOLFO. Specialized membrane junctions between neurons in the vertebrate cerebellar cortex, 271

SPICER, S. S., MARTIN, B. J., and SIMSON, J. V. The junctional complex associated body of human eccrine sweat gland, 582

STAEHELIN, L. ANDREW, CHLAPOWSKI, FRANCIS J., and BONNEVILLE, MARY A. Lumenal plasma membrane of the urinary bladder. I. Three-dimensional reconstruction from freeze-etch images, 73

—. See CHLAPOWSKI, BONNEVILLE, and STAEHELIN, 92

STIRLING, CHARLES E. Radioautographic localization of sodium pump sites in rabbit intestine, 704

STRAUSS, PHYLLIS R. Acriflavin resistance in the hemoflagellate, *Leishmania tarentolae*, 312

T

TANDLER, C. J. See KIERSZENBAUM, TRES, and TANDLER, 239

—. See TRES, KIERSZENBAUM, and TANDLER, 483

TILLES, JEREMIAH G. See BISSELL and TILLES, 819

TRES, LAURA L., KIERSZENBAUM, A. L., and TANDLER, C. J. Inorganic cations in the cell nucleus. Selective accumulation during meiotic prophase in mouse testis, 483

—. See KIERSZENBAUM, TRES, and TANDLER, 239

TURNER, F. RUDOLF. Modified microtubules in the testis of the water strider, *Gerris remigis* (Say), 263

U

UEHARA, YASUO, and BURNSTOCK, GEOFFREY. Postsynaptic specialization of smooth muscle at close neuromuscular junctions in the guinea pig sphincter pupillae, 849

V

VASSAR, P. S., HARDS, J. M., BROOKS, D. E., HAGENBERGER, B., and SEAMAN, G. V. F. Physicochemical effects of aldehydes on the human erythrocyte, 809

W

WAGNER, R. P. See CASSADY, LEITER, BERGQUIST, and WAGNER, 66

WALLACE, R. A. See DUMONT and WALLACE, 605

WANNEMACHER, R. W., JR. See HOPPER, ROSE, and WANNEMACHER, 225

WARNER, ANNE E. See BAKER and WARNER, 579

WAXMAN, S. G., PAPPAS, G. D., and BENNETT, M. V. L. Morphological correlates of functional differentiation of nodes of Ranvier along single fibers in the neurogenic electric organ of the knife fish *Sternarchus*, 210

WIESLANDER, L. See LAMBERT, WIESLANDER, DANEHOLT, EGYHÁZI, and RINGBORG, 407

WISSIG, STEVEN L. See FEENEY and WISSIG, 510

WOLSTENHOLME, DAVID R., KIRSCHNER, ROBERT H., and GROSS, NICHOLAS J. Heat denaturation studies of rat liver mitochondrial DNA. A denaturation map and changes in molecular configurations, 393

—. See MANNING, WOLSTENHOLME, and RICHARDS, 594

WRIGHT, DANIEL G., and MALAWISTA, STEPHEN E. The mobilization and extracellular release of granular enzymes from human leukocytes during phagocytosis, 788

WYLLIE, ROBERT C. See ARNOLD, YAWN, BROWN, WYLLIE, and COFFEY, 737

Y

YAWN, DAVID H. See ARNOLD, YAWN, BROWN, WYLLIE, and COFFEY, 737

INDEX TO SUBJECTS

A

Acriflavin resistance, in hemoflagellate *Leishmania tarentolae*, biochemical and light and radioautographic EM study, 312

Actinomycin D, tritiated, detection of DNA by, on ultrathin frozen sections of rat liver, radioautographic EM study, 798

Adrenal cortex, of rat, distinctive cell contact in, EM study, 148

Albumin, serum, produced by human embryonic liver in monolayer culture, radioimmunoassay of, biochemical and immunological study, 819

Aldehydes, acetaldehyde, formaldehyde, and glutaraldehyde, physicochemical effects of on human erythrocyte, biochemical study, 809

α-Amanitin, effects of on in vitro labeling of RNA from defined nuclear components in salivary gland cells from *Chironomus tentans*, biochemical and radioautographic study, 523

Anesthetic-induced transformation of axonal microtubles, in crayfish nerve cord, EM study, 258

Annulate lamellae, intranuclear and cytoplasmic, in plant *Haplopappus gracilis*, EM study, 823

Antigens, tissue-specific, on surface of cells from chick embryo skeletal muscle, heart, liver, cerebrum, and retina, immunological study, 435

Axon, of crayfish nerve cord, anesthetic-induced transformation of microtubules of, EM study, 258

Axonal transection, response of frog ventral horn neurons to, EM study, 24

B

Bacteria *Escherichia coli*, membrane-envelope fragments, respiration and protein synthesis in, biochemical and EM study, 1

Bat *Myotis lucifugus*, heart, sarcolemmal scalloping at short sarcomere length with incidental observations on T tubules, EM study, 252

Bladder, urinary, of rabbit, lumenal plasma membrane of, isolation and structure of membrane components, EM study, 92

—, urinary, of rabbit, lumenal plasma membrane of, three-dimensional reconstruction from freeze-etch images, EM study, 73

Blood, human, effect of phytohemagglutinin on lymphocytes of, DNA-dependent RNA polymerase activities in isolated nuclei of, biochemical study, 635

—, human erythrocytes, physicochemical effects of aldehydes on, biochemical study, 809

—, human leukocytes, mobilization and extracellular release of granular enzymes from during phagocytosis, biochemical study, 788

Blood, of human, translational mobility of membrane intercalated particles of erythrocyte ghosts, pH-dependent reversible aggregation of, biochemical and freeze-fracture EM study, 777

Brain, of mouse, protein turnover during maturation of, biochemical study, 143

—, of rabbit, preparation of plasma membrane from isolated neurons of, biochemical and light and EM study, 654

—, of vertebrates, specialized membrane junctions between neurons in cerebellar cortex of, EM study, 271

C

Calcium, intracellular, and cell cleavage, in early embryos of *Xenopus laevis*, light microscope study, 579

Capillaries, blood, of rat small intestine, permeability of to dextrans and glycogens, EM study, 365

Cations, inorganic, distribution of during spermiogenesis, in mouse, EM study, 239

—, inorganic, selective accumulation of in nucleus of mouse testis during meiotic prophase, EM study, 483

Cell contact, distinctive, in adrenal cortex of rat, EM study, 148

— division and DNA replication, temporal incompatibility between, in *Tetrahymena pyriformis*, biochemical and cytological study, 624

—, epithelial, of shrimp gill, fusion of unit membranes of endoplasmic reticulum in, EM study, 853

— morphology and mitochondria, of neonatal pig hepatocyte, biochemical and EM study, 335

— walls of higher plants, electron-opaque fibrils and granules in and between, UV and EM study, 695

Cells, absorptive, of guinea pig and rat small intestine, peroxisomes in, biochemical and cytochemical light and EM study, 532

—, acinar, in parotid gland of rabbit, secretory process in, biochemical and radioautographic light and EM study, 290

—, chick embryo ganglia, colchicine inhibition of nerve fiber formation in vitro, biochemical and radioautographic light microscope study, 164

—, chick skin fibroblasts, relief from contact inhibition, early increase in phospholipid turnover, biochemical study, 231

—, of Chinese hamster embryo, KB 6 (human) and L929 (mouse), repopulation of postmitotic nucleolus by preformed RNA, cytological study, 611

—, *Chlorella pyrenoidosa*, *Euglena gracilis*, and bull spermatozoa, freeze-etching of without cryoprotectants, EM study, 116

Cells, cultured neurons, of chick embryo, induction of DNA synthesis in by ultraviolet light or methyl methane sulfonate, radioautographic study, 587
—, T6aE, hamster-mouse hybrid, ribosomal RNA in, biochemical study, 177
—, HeLa and L strain, effect of chloramphenicol and ethidium bromide on respiratory enzymes and mitochondrial morphology, biochemical and EM study, 127
—, human embryonic liver, in monolayer culture, radioimmunoassay of serum albumin produced by, biochemical and immunological study, 819
—, human lymphoid, sialic acids on plasma membrane of, biochemical and cytological study, 466
—, myogenic, fusion of, from culture of Japanese quail embryo muscle, light and EM study, 348
—, photoreceptor and pigment epithelial, relationship between in rats with inherited retinal degeneration, radioautographic light and EM study, 185
—, red blood, human, fusion of membranes of, light and EM study, 244
—, skeletal muscle, heart, liver, cerebrum, and retina, from chick embryo, tissue-specific cells surface antigens in, immunological study, 435
Chick, embryo, skeletal muscle, heart, liver, cerebrum, and retina, tissue-specific cell surface antigens in, immunological study, 435
Chicken, duodenal epithelium, shortening of microvilli induced by cycloheximide in, biochemical and EM study, 601
—, erythrocyte, and rat liver, eucaryotic nuclei isolated from, chromatin condensation in, phase-contrast microscope and UV spectroscopy and circular dichroic spectra and X-ray diffraction and EM study, 715
Chloramphenicol and ethidium bromide, effect of on respiratory enzymes and mitochondrial morphology of HeLa and L cells, biochemical and EM study, 127
Chloroplasts, of spinach *Spinacia oleracea*, circular DNA molecules associated with, biochemical and EM study, 594
Chromatin condensation, in eucaryotic nuclei of rat liver and chicken erythrocyte, phase-contrast microscope and UV spectroscopy and circular dichroic spectra and X-ray diffraction and EM study, 715
Chromosomes and nucleus, of salivary gland of *Chironomus tentans*, *in situ* demonstration of DNA hybridization with RNA from, biochemical and radioautographic study, 407
—, polytene, of plants, localization of ribosomal cistrons in, biochemical and cytological study, 827
Ciliary necklace, of lamellibranch gill, freeze-etch EM study, 494
Cistrons, ribosomal, in plant polytene chromosomes, localization of, biochemical and cytological study, 827
Cleavage, cell, and intracellular calcium, in early embryo of *Xenopus laevis*, light microscope study, 579
Cleavage of eggs of *Arbacia punctulata*, role of contractile ring in, EM study, 419
Colchicine inhibition of nerve fiber formation in vitro, in chick embryo ganglia, biochemical and radioautographic light microscope study, 164
Color, production of, by iridophores of lizard skin, light and EM study, 38
Contact inhibition, relief from, early increase in phospholipid turnover in chick skin fibroblasts, biochemical study, 231
Contractile ring, of *Arbacia punctulata*, existence, volumetric changes, and role in cleavage of eggs by, EM study, 419
Cow, embryo, liver, active 80S ribosomes in subcellular particles in mitochondrial fraction of, biochemical study, 590
Crayfish, nerve cord, anesthetic-induced transformation of axonal microtubules of, EM study, 258
— *Orconectes*, muscle fibers, effects of osmotic strength, ionic concentration and pH on unit-cell volume of myofilament lattice of, X-ray diffraction and EM study, 53
Cryoprotectants, freeze-etching of unicellular organisms without, EM study, 116
Cycloheximide, shortening of microvilli induced by, in duodenal epithelium of chicken, biochemical and EM study, 601
Cytoplasm and nucleus, of plant *Haplopappus gracilis*, annulate lamellae in, EM study, 823

D

Dextrans and glycogens, permeability of blood capillaries of rat small intestine to, EM study, 365
DNA, circular molecules, associated with chloroplasts of spinach *Spinacia oleracea*, biochemical and EM study, 594
—, in cultured neurons, induction of synthesis of by ultraviolet light or methyl methane sulfonate, radioautographic study, 587
—, detection of by tritiated actinomycin D, on ultrathin frozen sections of rat liver, radioautographic EM study, 798
— hybridization with chromosomal and nuclear sap RNA, *in situ* demonstration of in salivary gland of *Chironomus tentans*, biochemical and radioautographic study, 407
—, of rat liver mitochondria, heat denaturation studies of, denaturation map and changes in molecular configuration, biochemical and EM study, 393
—, replication and cell division, temporal incompatibility between, in *Tetrahymena pyriformis*, biochemical and cytological study, 624
DNA-dependent RNA polymerase activities, in nuclei of human blood lymphocytes, effect of phytohemagglutinin, biochemical study, 635

E

Eggs, of *Arbacia punctulata*, existence of contractile ring, volumetric changes and role in cleavage of, EM study, 419

Electric organ, neurogenic, of knife fish *Sternarchus*, morphological correlates of functional differentiation of nodes of Ranvier along single fibers in, light and EM study, 210
Embryo, bovine, liver, active 80S ribosomes in subcellular particles in mitochondrial fraction of, biochemical study, 590
—, of chick, skeletal muscle, heart, liver, cerebrum, and retina cells, tissue-specific cell surface antigens in, immunological study, 435
—, of quail *Coturnix coturnix japonica*, muscle cell culture, fusion of myogenic cells of, light and EM study, 348
—, rabbit, tooth primordia, epithelial-mesenchymal interactions during odontogenesis, isolation of matrix vesicles, biochemical and light and EM study, 841
—, of sea urchin *Lytechinus pictus*, stabilities of nuclear and messenger RNA molecules in, biochemical study, 474
—, of *Xenopus laevis*, intracellular calcium and cell cleavage in, light microscope study, 579
Endoplasmic reticulum, fusion of unit membranes of, in gill epithelial cell of shrimp *Caridina*, EM study, 853
Enzyme, phosphatidic acid phosphatase, localization of activity of in granular pneumonocytes, of hamster lung, EM study, 249
—, RNA polymerase, DNA-dependent, activities in nuclei of human blood lymphocytes, effect of phytohemagglutinin, biochemical study, 635
Enzymes, granular (lysozyme, β-glucuronidase, acid phosphatase, and cathepsin), mobilization and extracellular release of from human leukocytes during phagocytosis, biochemical study, 788
—, respiratory, and mitochondrial morphology, of HeLa and L cells, effect of chloramphenicol and ethidium bromide on, biochemical and EM study, 127
Epithelia, glandular and mucosal, and smooth muscle, of rat, variations in tight and gap junctions in, EM study, 758
Epithelial cells, of human eccrine sweat gland, junctional complex associated body of, EM study, 582
Epithelial-mesenchymal interactions during odontogenesis, in rabbit embryo, isolation of matrix vesicles, biochemical and light and EM study, 841
Epithelium, duodenal, of chicken, cycloheximide-induced shortening of microvilli in, biochemical and EM study, 601
Erythrocyte, of chicken, and rat liver, eucaryotic nuclei from, chromatin condensation in, phase-contrast microscope and UV spectroscopy and circular dichroic spectra and X-ray diffraction and EM study, 715
— ghosts, of human blood, translational mobility of membrane intercalated particles of, pH-dependent reversible aggregation of, biochemical and freeze-fracture EM study, 777
— , human, physicochemical effects of aldehydes on, biochemical study, 809
Erythrocytes, human, fusion of membranes of, light and EM study, 244
Ethidium bromide and chloramphenicol, effect of on respiratory enzymes and mitochondrial morphology of HeLa and L cells, biochemical and EM study, 127

F

Fibers, single, in neurogenic electric organ of knife fish *Sternarchus*, morphological correlates of functional differentiation of nodes of Ranvier along, light and EM study, 210
Fibrils and granules, electron-opaque, in and between cell walls of higher plants, UV and EM study, 695
Fixation, of mammalian tissue, with glutaraldehyde–hydrogen peroxide reaction products, light and EM study, 234
Freeze-etching of unicellular organisms without cryoprotectants, EM study, 116
Frog *Rana pipiens*, neurons, ventral horn, response of to axonal transection, EM study, 24
Fungus *Neurospora crassa*, mitochondria, separation of membranes of, submitochondrial localization of isoleucine-valine biosynthetic pathway, biochemical and EM study, 66

G

Gill, of lamellibranch *Elliptio* and *Mytilus edulis*, ciliary necklace of, freeze-etch EM study, 494
—, of shrimp *Caridina*, fusion of unit membranes of endoplasmic reticulum in epithelial cells of, EM study, 853
Glutaraldehyde–hydrogen peroxide reaction products, fixation of mammalian tissue by, light and EM study, 234
Glycogens and dextrans, permeability of blood capillaries of rat small intestine to, EM study, 365
Granules and fibrils, electron-opaque, in and between cell walls of higher plants, UV and EM study, 695
Guinea pig and rat, small intestine, peroxisomes in absorptive cells of, biochemical and cytochemical light and EM study, 532
—, sphincter pupillae, postsynaptic specialization of smooth muscle at close neuromuscular junctions in, EM study, 849

H

Hamster, lung, localization of phosphatidic acid phosphatase activity in granular pneumonocytes of, EM study, 249
Heart, of bat, sarcolemmal scalloping at short sarcomere lengths with incidental observations on T tubules, EM study, 252
Heat denaturation studies of rat liver mitochondrial DNA, denaturation map and changes in molecular configurations, biochemical and EM study, 393
Hepatocyte, of neonatal pig liver, mitochondria and cell morphology of, biochemical and EM study, 335

Human, blood lymphocytes, nuclei, transformation of by phytohemagglutinin, DNA-dependent RNA polymerase activities in, biochemical study, 635
—, blood, translational mobility of membrane intercalated particles of erythrocyte ghosts, pH-dependent reversible aggregation of, biochemical and freeze-fracture EM study, 777
—, erythrocytes, physicochemical effects of aldehydes on, biochemical study, 809
—, leukocytes, mobilization and extracellular release of granular enzymes from during phagocytosis, biochemical study, 788
—, red blood cells, fusion of membranes of, light and EM study, 244
—, skin, eccrine sweat gland, junctional complex associated body of, EM study, 582

I

Insect aphid *Hyperomyzus lactucae*, intestine, extracellular microtubules in, EM study, 575
— *Chironomus tentans*, salivary gland, effects of α-amanitin on in vitro labeling of RNA from defined nuclear components in, biochemical and radioautographic study, 523
— *Chironomus tentans*, salivary gland, *in situ* demonstration of DNA hybridizing with chromosomal and nuclear sap RNA in, biochemical and radioautographic study, 407
Intestine, of aphid, extracellular microtubules in, EM study, 575
— of chicken, shortening of microvilli induced by cycloheximide in, biochemical and EM study, 601
—, of protein-depleted or starved rats, changes in cellular migration rates in mucosa of, radioautographic study, 225
—, small, of guinea pig and rat, peroxisomes in absorptive cells of, biochemical and cytochemical light and EM study, 532
—, small, of rabbit, localization of sodium pump sites in, radioautographic study, 704
—, small, of rat, permeability of blood capillaries of to dextrans and glycogens, EM study, 365
Ionic concentration, osmotic strength, and pH, effects of on unit-cell volume of myofilament lattice of muscle fibers isolated from crayfish, X-ray diffraction and EM study, 53
Iridophores, of lizard skin, production of color by, light and EM study, 38
Isoleucine-valine biosynthetic pathway, submitochondrial localization of, separation of mitochondrial membranes of *Neurospora crassa*, biochemical and EM study, 66

J

Junctional complex associated body, of human eccrine sweat gland, EM study, 582
Junctions, membrane, specialized, between neurons in vertebrate cerebellar cortex, EM study, 271
—, neuromuscular, in guinea pig sphincter pupillae, postsynaptic specialization of smooth muscle at, EM study, 849
Junctions, tight and gap, variations in, in rat glandular and mucosal epithelia and smooth muscle, EM study, 758

K

Knife fish *Sternarchus*, electric organ, neurogenic, morphological correlates of functional differentiation of nodes of Ranvier along single fibers in, light and EM study, 210

L

Lacrimal gland, of rat, localization of endogenous peroxidase in during postnatal development, biochemical and cytochemical EM study, 662
Lamellibranch *Elliptio* and *Mytilus edulis*, gill, ciliary necklace of, freeze-etch EM study, 494
Leukocytes, human, mobilization and extracellular release of granular enzymes from during phagocytosis, biochemical study, 788
Light, ultraviolet, or methyl methane sulfonate, induction of DNA synthesis in cultured neurons by, radioautographic study, 587
Liver, of bovine embryo, active 80S ribosomes in subcellular particles in mitochondrial fraction of, biochemical study, 590
—, of neonatal pig, mitochondria and cell morphology in hepatocyte of, biochemical and EM study, 335
—, of rat, and chicken erythrocyte, eucaryotic nuclei from, chromatin condensation in, phase-contrast microscope and UV spectroscopy and circular dichroic spectra and X-ray diffraction and EM study, 715
—, of rat, detection of DNA by tritiated actinomycin D on ultrathin frozen sections of, radioautographic EM study, 798
—, of rat, energy-linked ultrastructural transformations in mitochondria and mitoplasts isolated from, comparison of freeze-cleaving and chemical fixation, light and EM study, 450
—, of rat, heat denaturation studies of mitochondrial DNA of, denaturation map and changes in molecular configurations, biochemical and EM study, 393
—, of rat, structural alteration in nuclei of after removal of template restriction by polyanions, biochemical and phase-contrast and interference and EM study, 737
Lizard *Anolis carolinensis*, skin, production of color by iridophores of, light and EM study, 38
Lumen, of rabbit urinary bladder, isolation and structure of components of plasma membrane of, EM study, 92
—, of rabbit urinary bladder, three-dimensional reconstruction of plasma membrane of from freeze-etch images, EM study, 73
Lung, of hamster, localization of phosphatidic acid phosphatase activity in granular pneumonocytes of, EM study, 249
Lymphocytes, of human blood, nuclei, transformation of by phytohemagglutinin, DNA-dependent RNA polymerase activities in, biochemical study, 635

Lymphocytes, of mouse thymus, nucleolar morphology and maturation of, radioautographic study, 832

M

Mammalian tissue, fixation of by means of glutaraldehyde–hydrogen peroxide reaction products, light and EM study, 234
Mammals, mouse, Chinese hamster, rat, human, rabbit, and opossum, spermatozoa, motility patterns of, cinematographic and EM study, 561
Matrix vesicles, isolation of, from rabbit embryo tooth primordia, epithelial-mesenchymal interactions during odontogenesis, biochemical and light and EM study, 841
Melanocyte-stimulating peptides, biosynthesis, intracellular transport and packaging of, in amphibian pars intermedia, biochemical and radioautographic EM study, 642
Membrane components, isolation and structure of lumenal plasma membrane of rabbit urinary bladder, EM study, 92
—, intercalated particles, of human erythrocyte ghosts, translational mobility of, pH-dependent reversible aggregation, biochemical and freeze-fracture EM study, 777
—, of lamellibranch gill epithelium, ciliary necklace of, freeze-etch EM study, 494
—, plasma, of cultured human lymphoid cells, sialic acids on, biochemical and cytological study, 466
—, plasma, preparation of from isolated neurons of rabbit brain, biochemical and light and EM study, 654
Membrane-envelope fragments, of *Escherichia coli*, respiration and protein synthesis in, biochemical and EM study, 1
Membranes, of human red blood cells, fusion of, light and EM study, 244
—, of *Neurospora crassa* mitochondria, separation of, submitochondrial localization of isoleucine-valine biosynthetic pathway, biochemical and EM study, 66
—, unit, of endoplasmic reticulum in gill epithelial cell, of shrimp *Caridina*, EM study, 853
Methyl methane sulfonate, or ultraviolet light, induction of DNA synthesis in cultured neurons by, radioautographic study, 587
Microtubules, axonal, of crayfish nerve cord, anesthetic-induced transformation of, EM study, 258
—, extracellular, in aphid gut, EM study, 575
—, modified, in testis of water strider *Gerris remigis*, light and EM study, 263
Microvilli, cycloheximide-induced shortening of, in duodenal epithelium of chicken, biochemical and EM study, 601
Migration rates, cellular, changes of in intestinal mucosa of protein-depleted or starved rats, radioautographic study, 225
Mitochondria and cell morphology, of neonatal pig hepatocyte, biochemical and EM study, 335
— of HeLa and L cells, effect of chloramphenicol and ethidium bromide on respiratory enzymes and morphology of, biochemical and EM study, 127
Mitochondria and mitoplasts, of rat liver, energy-linked ultrastructural transformations in, comparison of freeze-cleaving and chemical fixation, light and EM study, 450
— of *Neurospora crassa*, separation of membranes of, submitochondrial localization of isoleucine-valine biosynthetic pathway, biochemical and EM study, 66
—, of rat liver, heat denaturation studies of DNA of, denaturation map and changes in molecular configurations, biochemical and EM study, 393
Mitochondrial fraction, of fetal bovine liver, active 80S ribosomes in subcellular particles of, biochemical study, 590
Mitoplasts and mitochondria, of rat liver, energy, linked ultrastructural transformations in, comparison of freeze-cleaving and chemical fixation-light and EM study, 450
Mitosis, in Chinese hamster, KB 6, and L929 cells, repopulation of nucleolus by preformed RNA after, cytological study, 611
Motility patterns, of mammalian spermatozoa, cinematographic and EM study, 561
Mouse, brain, protein turnover during maturation of, biochemical study, 143
—, testis, distribution of inorganic cations during spermiogenesis in, EM study, 239
—, testis, inorganic cations in nucleus of, selective accumulation during meiotic prophase, EM study, 483
—, thymus, nucleolar morphology and maturation of lymphocytes of, radioautographic study, 832
Muscle, cardiac, of bat, sarcolemmal scalloping at short sarcomere lengths with incidental observations on T tubules, EM study, 252
— cell culture, from Japanese quail embryo, fusion of myogenic cells in, light and EM study, 348
— fibers isolated from crayfish *Orconectes*, effects of osmotic strength, ionic concentration, and pH on unit-cell volume of myofilament lattice of, X-ray diffraction and EM study, 53
—, smooth, and glandular and mucosal epithelia, of rat, variations in tight and gap junctions in, EM study, 758
—, smooth, postsynaptic specialization of at close neuromuscular junctions, in guinea pig sphincter pupillae, EM study, 849
Myofilament lattice, of muscle fibers isolated from crayfish, effects of osmotic strength, ionic concentration and pH on unit-cell volume of, X-ray diffraction and EM study, 53

N

Nerve cord, of crayfish, anesthetic-induced transformation of axonal microtubules of, EM study, 258
— fiber formation in vitro, of chick embryo ganglia, colchicine inhibition of, biochemical and radioautographic light microscope study, 164
Neuromuscular junctions, in guinea pig sphincter pupillae, postsynaptic specialization of smooth muscle at, EM study, 849

Neurons, isolated from rabbit brain, preparation of plasma membrane from, biochemical and light and EM study, 654
—, ventral horn, of frog, response of to axonal transection, EM study, 24
—, in vertebrate cerebellar cortex, specialized membrane junctions between, EM study, 271
Nodes of Ranvier along single fibers in neurogenic electric organ of knife fish *Sternarchus*, morphological correlates of functional differentiation of, light and EM study, 210
Nuclei, eucaryotic, of rat liver and chicken erythrocyte, chromatin condensation in, phase-contrast microscope and UV spectroscopy and circular dichroic spectra and X-ray diffraction and EM study, 715
—, of human blood lymphocytes, DNA-dependent RNA polymerase activities in, effects of phytohemagglutinin, biochemical study, 635
—, macro- and micro-, isolation and partial characterization of, from *Paramecium aurelia*, biochemical and light and EM study, 105
—, of rat liver, structural alteration in after removal of template restriction of polyanions, biochemical and phase-contrast and interference and EM study, 737
Nucleolus, of lymphocytes of mouse thymus, morphology and maturation of, radioautographic study, 832
—, postmitotic, of Chinese hamster, KB 6 and L929 cells, repopulation of by preformed RNA, cytological study, 611
Nucleus and chromosomes, of salivary gland of *Chironomus tentans*, *in situ* demonstration of DNA hybridization with RNA from, biochemical and radioautographic study, 407
— and cytoplasm, of plant *Haplopappus gracilis*, annulate lamellae in, EM study, 823
—, of mouse testis, selective accumulation in of inorganic cations during meiotic prophase, EM study, 483
—, in salivary gland cells of *Chironomus tentans*, effects of α-amanitin on in vitro labeling of RNA from defined components of, biochemical and radioautographic study, 523

O

Odontogenesis, in rabbit embryo, epithelial-mesenchymal interactions during, isolation of matrix vesicles, biochemical and light and EM study, 841
Oocytes, of *Xenopus*, effects of vinblastine on, EM study, 605
Osmotic strength, ionic concentration and pH, effects of on unit-cell volume of myofilament lattice of muscle fibers isolated from crayfish, X-ray diffraction and EM study, 53

P

Parotid gland, of rabbit, secretory process in acinar cells of, biochemical and radioautographic light and EM study, 290
Particles, intercalated, of membrane of human erythrocyte ghost, translational mobility of, pH-dependent reversible aggregation, biochemical and freeze-fracture EM study, 777
Peptides, melanocyte-stimulating, biosynthesis, intracellular transport and packaging of, in amphibian pars intermedia, biochemical and radioautographic EM study, 642
Peroxidase, endogenous, localization of in rat lacrimal gland during postnatal development, biochemical and cytochemical EM study, 662
Peroxisomes, in absorptive cells of guinea pig and rat small intestine, biochemical and cytochemical light and EM study, 532
pH, osmotic strength, and ionic concentration, effects of on unit-cell volume of myofilament lattice of muscle fibers isolated from crayfish, X-ray diffraction and EM study, 53
Phagocytosis, mobilization and extracellular release of granular enzymes from human leukocytes during, biochemical study, 788
Phospholipid turnover, early increase of in relief from contact inhibition, in chick skin fibroblasts, biochemical study, 231
Photoreceptor and pigment epithelial cells, relationship between in rats with inherited retinal degeneration, radioautographic light and EM study, 185
Pig, newborn, liver, mitochondria and cell morphology in hepatocyte of, biochemical and EM study, 335
Pigment epithelial and photoreceptor cells, relationship between in rats with inherited retinal degeneration, radioautographic light and EM study, 185
Pinocytosis, kinetics and morphology of, in *Acanthamoeba castellanii*, biochemical and EM study, 681
Pituitary pars intermedia, of *Xenopus laevis*, biosynthesis, intracellular transport and packaging of melanocyte-stimulating peptides in, biochemical and radioautographic EM study, 642
Plant, carrot *Daucus carota*, bean *Phaseolus vulgaris*, morning glory *Ipomoea*, pine *Pinus resinosa*, spruce *Picea canadensis*, poplar *Populus tremuloides*, fir *Pseudotsuga taxifolia*, electron-opaque fibrils and granules in and between cell walls of, UV and EM study, 695
— *Haplopappus gracilis*, intranuclear and cytoplasmic annulate lamellae in, EM study, 823
— *Phaseolus coccineus* and *P. vulgaris*, localization of ribosomal cistrons in polytene chromosomes of, biochemical and cytological study, 827
—, spinach *Spinacia oleracea*, circular DNA molecules associated with chloroplasts of, biochemical and EM study, 594
Plaques, spindle, meiotic, in *Saccharomyces cerevisiae*, EM study, 837
Plasma membrane, of rabbit urinary bladder lumen, isolation and structure of membrane components, EM study, 92
— membrane, of rabbit urinary bladder, lumen, three-dimensional reconstruction from freeze-etch images, EM study, 73
Pneumonocytes, granular, of hamster lung, localiza-

tion of phosphatidic acid phosphatase activity in, EM study, 249
Polyanions, structural alteration in rat liver nuclei after removal of template restriction by, biochemical and phase-contrast and interference and EM study, 737
Protein secretion, by rat thyroid lobes incubated in vitro, biochemical and radioautographic EM study, 510
— synthesis and respiration, in *Escherichia coli* membrane-envelope fragments, biochemical and EM study, 1
— turnover, during maturation of mouse brain tissue, biochemical study, 143
Protein-depleted or starved rat, changes in cellular migration rates in intestinal mucosa of, radioautographic study, 225
Proteins, secretory, transport of in acinar cells of parotid gland of rabbit, biochemical and radioautographic light and EM study, 290
Protozoan *Acanthamoeba castellanii*, kinetics and morphology of pinocytosis in, biochemical and EM study, 681
—, hemoflagellate *Leishmania tarentolae*, acriflavin resistance in, biochemical and light and radioautographic EM study, 312
— *Paramecium aurelia*, macro- and micronuclei, isolation and partial characterization of, biochemical and light and EM study, 105
— *Tetrahymena pyriformis*, temporal incompatibility between DNA replication and division during cell cycle of, biochemical and cytological study, 624

Q

Quail *Coturnix coturnix japonica*, embryo, muscle cell culture, fusion of myogenic cells of, light and EM study, 348

R

Rabbit, brain, preparation of plasma membrane from isolated neurons of, biochemical and light and EM study, 654
—, embryo, tooth primordia, epithelial-mesenchymal interactions during odontogenesis, isolation of matrix vesicles, biochemical and light and EM study, 841
—, parotid gland, secretory process in acinar cell of, biochemical and radioautographic light and EM study, 290
—, small intestine, localization of sodium pump sites in, radioautographic study, 704
—, urinary bladder, lumenal plasma membrane of, isolation and structure of membrane components, EM study, 92
—, urinary bladder, lumenal plasma membrane of, three-dimensional reconstruction from freeze-etch images, EM study, 73
Radioactive label, acriflavin-^{3}H, acriflavin resistance in hemoflagellate *Leishmania tarentolae*, biochemical and light and radioautographic EM study, 312
— label, actinomycin D–^{3}H, detection of DNA by tritiated actinomycin D on ultrathin frozen sections of rat liver, radioautographic EM study, 798
Radioactive label, adenosine-^{14}C, leucine-^{3}H, and thymidine- ^{3}H, temporal incompatibility between DNA replication and division during cell cycle of *Tetrahymena*, biochemical and cytological study, 624
— label, albumin-^{131}I, inulin-^{3}H, glucose-^{14}C, leucine-^{14}C and leucine-^{3}H, kinetics and morphology of pinocytosis in *Acanthamoeba castellanii*, biochemical and EM study, 681
— label, albumin-^{125}I, and leucine-^{14}C, radioimmunoassay of serum albumin produced by human embryonic liver in monolayer culture, biochemical and immunological study, 819
— label, amino acids-^{14}C and thymidine triphosphate methyl-^{3}H, respiration and protein synthesis in *Escherichia coli* membrane-envelope fragments, biochemical and EM study, 1
— label, arginine-^{14}C and valine-^{14}C, protein turnover during maturation of mouse brain tissue, biochemical study, 143
— label, choline-^{3}H, epithelial-mesenchymal interactions during odontogenesis, in rabbit embryo, isolation of matrix vesicles, biochemical and light and EM study, 841
— label, choline-^{3}H, inositol-^{3}H, thymidine-^{14}C and valine-^{14}C, relief from contact inhibition, early increase in phospholipid turnover, in chick skin fibroblasts, biochemical study, 231
— label, cytidine-^{3}H and uridine-^{3}H, *in situ* demonstration of DNA hybridizing with chromosomal and nuclear sap RNA in salivary gland of *Chironomus tentans*, biochemical and radioautographic study, 407
— label, deoxythymidine triphosphate-^{3}H, polyribonucleotides-^{3}H, structural alteration in rat liver nuclei after removal of template restriction by polyanions, biochemical and phase-contrast and interference and EM study, 737
— label, glycine-^{3}H, biosynthesis, intracellular transport and packaging of melanocyte-stimulating peptides in amphibian pars intermedia, biochemical and radioautographic EM study, 642
— label, inulin-^{14}C, inulin-^{3}H, and ouabain-^{3}H, localization of sodium pump sites in rabbit small intestine, radioautographic study, 704
— label, leucine-^{3}H, active 80S ribosomes in subcellular particles in mitochondrial fraction of fetal bovine liver, biochemical study, 590
— label, leucine-^{3}H, analysis of protein secretion by rat thyroid lobes incubated in vitro, biochemical and radioautographic EM study, 510
— label, leucine-^{14}C, colchicine inhibition of nerve fiber formation in vitro, biochemical and radioautographic light microscope study, 164
— label, leucine-^{3}H, secretory process in acinar cell of rabbit parotid gland, biochemical and radioautographic light and EM study, 290
— label, methionine-^{3}H, leucine-^{3}H, and phenylalanine-^{3}H, relationship between photoreceptor and pigment epithelial cells in rats with inherited retinal degeneration, radioautographic light and EM study, 185

Radioactive label, nucleosides-^{3}H, effects of α-amanitin on in vitro labeling of RNA from defined nuclear components in salivary gland cells from *Chironomus tentans*, biochemical and radioautographic study, 523
— label, nucleotides-^{3}H, DNA-dependent RNA polymerase activities in nuclei of human lymphocytes, effect of phytohemagglutinin, biochemical study, 635
— label, thymidine-^{14}C, adenosine-^{14}C, adenosine-^{3}H, and proline-^{3}H, stabilities of nuclear and messenger RNA molecules in sea urchin embryos, biochemical study, 474
— label, thymidine-^{3}H, changes in cellular migration rates in intestinal mucosa of protein-depleted or starved rat, radioautographic study, 225
— label, thymidine-^{3}H and uridine-^{3}H, induction of DNA synthesis in cultured neurons by ultraviolet light or methyl methane sulfonate, radioautographic study, 587
— label, uridine-^{3}H, localization of ribosomal cistrons in plant polytene chromosomes, biochemical and cytological study, 827
— label, uridine-^{3}H, nucleolar morphology and maturation of lymphocytes of mouse thymus, radioautographic study, 832
— label, uridine-^{14}C, uridine-^{3}H, and inorganic-^{32}P, ribosomal RNA of hamster-mouse hybrid cells, biochemical study, 177
Rat, adrenal cortex, distinctive cell contact in, EM study, 148
—, glandular and mucosal epithelia and smooth muscle, variations in tight and gap junctions in, EM study, 758
—, and guinea pig, small intestine, peroxisomes in absorptive cells of, biochemical and cytochemical light and EM study, 532
—, with inherited retinal degeneration, relationship between photoreceptor and pigment epithelial cells in, radioautographic light and EM study, 185
—, lacrimal gland, localization of endogenous peroxidase in during postnatal development, biochemical and cytochemical EM study, 662
—, liver, and chicken erythrocyte, eucaryotic nuclei isolated from, chromatin condensation in, phase-contrast microscope and UV spectroscopy and circular dichroic spectra and X-ray diffraction and EM study, 715
—, liver, detection of DNA by tritiated actinomycin D on ultrathin frozen sections of, radioautographic EM study, 798
—, liver mitochondria, heat denaturation studies of DNA of, denaturation map and changes in molecular configurations, biochemical and EM study, 393
—, liver mitochondria and mitoplasts, energy-linked ultrastructural transformations in, comparison of freeze-cleaving and chemical fixation, light and EM study, 450
—, liver, structural alteration in nuclei of after removal of template restriction by polyanions, biochemical and phase-contrast and interference and EM study, 737
Rat, protein-depleted or starved, cellular migration rate changes in intestinal mucosa of, radioautographic study, 225
—, small intestine, permeability of blood capillaries of to dextrans and glycogens, EM study, 365
—, thyroid lobes incubated in vitro, analysis of protein secretion, biochemical and radioautographic EM study, 510
Respiration and protein synthesis, in *Escherichia coli* membrane-envelope fragments, biochemical and EM study, 1
Retinal degeneration, inherited, relationship between photoreceptor and pigment epithelial cells in rats with, radioautographic light and EM study, 185
Ribosomes, of hamster-mouse hybrid cells, RNA in, biochemical study, 177
—, of plant polytene chromosomes, localization of cistrons of, biochemical and cytological study, 827
—, 80S, in subcellular particles in mitochondrial fraction of fetal bovine liver, biochemical study, 590
RNA, of chromosomal and nuclear sap, in salivary gland of *Chironomus tentans*, *in situ* demonstration of DNA hybridization with, biochemical and radioautographic study, 407
— from defined nuclear components in salivary gland cells from *Chironomus tentans*, effects of α-amanitin on in vitro labeling of, biochemical and radioautographic study, 523
—, nuclear and messenger, stabilities of, in sea urchin embryos, biochemical study, 474
—, preformed, repopulation of postmitotic nucleolus by, in Chinese hamster, KB 6, and L929 cells, cytological study, 611
—, ribosomal, of hamster-mouse hybrid cells, biochemical study, 177

S

Salivary gland, of *Chironomus tentans*, effects of α-amanitin on in vitro labeling of RNA from defined nuclear components in, biochemical and radioautographic study, 523
— gland, of *Chironomus tentans*, *in situ* demonstration of DNA hybridizing with chromosomal and nuclear sap RNA in, biochemical and radioautographic study, 407
Sarcolemmal scalloping at short sarcomere lengths with incidental observations on T tubules, in bat heart, EM study, 252
Sea urchin *Arbacia punctulata*, eggs, existence of contractile ring, volumetric changes and role in cleavage of, EM study, 419
— *Lytechinus pictus*, embryo, stability of nuclear and messenger RNA molecules in, biochemical study, 474
Shrimp *Caridina*, gill epithelial cell, fusion of unit membranes of endoplasmic reticulum in, EM study, 853
Sialic acids, on plasma membrane of cultured human lymphoid cells, biochemical and cytological study, 466

Skin, human, eccrine sweat gland, junctional complex associated body of, EM study, 582
—, of lizard, production of color by iridophores of, light and EM study, 38
Sodium pump sites, localization of in rabbit small intestine, radioautographic study, 704
Spermatozoa, of six mammalian species, motility patterns of, cinematographic and EM study, 561
Spermiogenesis, in mouse, distribution of inorganic cations during, EM study, 239
Sphincter pupillae, of guinea pig, postsynaptic specialization of smooth muscle at close neuromuscular junctions in, EM study, 849
Spindle plaques, meiotic, in *Saccharomyces cerevisiae*, EM study, 837
Surface of chick embryo skeletal muscle, heart, liver, cerebrum, and retina cells, tissue-specific antigens on, immunological study, 435
Sweat gland, eccrine, of human, junctional complex associated body of, EM study, 582

T

T tubules, of bat cardiac muscle, sarcolemmal scalloping at short sarcomere lengths, EM study, 252
Template restriction, structural alteration in rat liver nuclei after removal of by polyanions, biochemical and phase-contrast and interference and EM study, 737
Testis, of mouse, distribution of inorganic cations during spermiogenesis in, EM study, 239
—, of mouse, inorganic cations in nucleus of, selective accumulation during meiotic prophase, EM study, 483
—, of water strider *Gerris remigis*, modified microtubules in, light and EM study, 263
Thymus, of mouse, nucleolar morphology and maturation of lymphocytes of, radioautographic study, 832
Thyroid, of rat, incubated in vitro, analysis of protein secretion, biochemical and radioautographic EM study, 510
Tissue culture, of human embryonic liver, radioimmunoassay of serum albumin, biochemical and immunological study, 819
Tissue culture, of human lymphoid cells, sialic acids on plasma membrane, biochemical and cytological study, 466
—, mammalian, fixation of with glutaraldehyde–hydrogen peroxide reaction products, light and EM study, 234
Tissue-specific cell surface antigens, in cells from chick embryo skeletal muscle, heart, liver, cerebrum, and retina, immunological study, 435
Toad *Xenopus laevis*, embryo, intracellular calcium and cell cleavage in, light microscope study, 579
— *Xenopus laevis*, pituitary pars intermedia, biosynthesis, intracellular transport and packaging of melanocyte-stimulating peptides in, biochemical and radioautographic EM study, 642
— *Xenopus*, oocytes, effects of vinblastine on, EM study, 605

V

Valine-isoleucine biosynthetic pathway, submitochondrial localization of, separation of mitochondrial membranes of *Neurospora crassa*, biochemical and EM study, 66
Vertebrates, gymnotoid fish *Gymnotus carapo*, frog *Rana esculenta*, rat, and cat, cerebellar cortex, specialized membrane junctions between neurons in, EM study, 271
Vinblastine, effects of on oocytes isolated from *Xenopus*, EM study, 605
Volume, unit-cell, of myofilament lattice of muscle fibers isolated from crayfish, effects of osmotic strength, ionic concentration and pH on, X-ray diffraction and EM study, 53

W

Water strider *Gerris remigis* (Say), testis, modified microtubules in, light and EM study, 263

Y

Yeast *Saccharomyces cerevisiae*, meiotic spindle plaques in, EM study, 837